

THE HOME OF ELEVATORS

17 - 20 October | Messe Augsburg | Germany

Standanmeldung Stand Registration



A ₁	Booth registration	P. 3
A ₂	Booth Registration	P. 4
B	Full Stand Offer Basic	P. 5
Β	Full Stand Offer Comfort	P. 6
B	Order Full Stand	P. 7
С	Range of exhibits (nomenclature)	P. 8-10
D	Special trade fair conditions	P. 11-12
Ε	General trade fair and <u>exhibition conditions of the FAM</u> A	P. 13-14



To be co	mpleted by th	ne fair manag	gement:
Halle	Stand		m ² Preis
riano	Otaria		111 11013
		~	m²
	III X	m =	[1]-
Reg-Nr.:			
neg-mi			



The information marked with * is used for entries in the trade fair directories!

Company*	Phone*
	Fax*
Street*	E-Mail*
Zip Code* Place*	Internet*
Country*	Facebook
VAT No. (EU), Tax Id	You Tube
General Manager/Owner	Entry in the list of exhibitors under letter A-Z
Contact person	Invoice via E-Mail yes 🗆 no 🗆
E-Mail (personal)	Different invoice address
Cell phone no (at booth)	
Phone extension	



3.

We order according to the conditions of participation:

Minimum depth 4 m	1	t Side m		pth m	Space in m ²	Stand fee [STMIE] p upon receipt of r	
	min.	max.	min.	max.	about	Before 31-5-2022	after 01-6-2022
In-line stand Minimum Size 16 m ²						€ 205,00	€ 210,00
Corner stand Minimum size 20 m ²						€ 220,00	€ 225,00
Head stand Minimum size 30 m ²						€ 225,00	€ 230,00
Block stand Minimum size 100 m ²						€ 230,00	€ 235,00
Mandatory media entry [01MEBAST (please refer to point 8.1 of "Special trade fa			€ 330,00			m stand □ yes □ no sions Front m D	
Disposal, hygiene &			0/ 0/05	Variable	dimensions	🗆 yes 🗆 no	
safety fee [ENTSORG]			€/m²4,95	All price	s without VA	т	
☑ Trade association fee [AUMAH]		-	€/m²0,60				

Important information on stand construction/design:

□ We will comply with the stand design guidelines. Approval of plans is not required as our stand height does not exceed 2.50m. We confirm that our exhibition stand including all fixtures, exhibits and advertising media will be erected in accordance with the currently valid AFAG Technical Guidelines. (These can be found at www.interlift.de.)

Double-decker exhibition stands (two-storey exhibition stands)

Exhibition stands with an additional 2nd level require a significantly increased testing and inspection effort. For this reason, each sqm used on the 2nd level will be charged at 25% of the sqm price of the booked stand type. Static calculations or any stand construction measures that may be required are to be borne by the stand operator.

Stands with an overall height of 2.50 m or more, as well as two-story exhibition stands and other special structures, must be applied for via the Online Service Center!







Mandatory media entry

The compulsory media entry comprises the company, hall and stand number and up to 5 exhibits from Appendix C. It is collected for each exhibitor and co-exhibitor or represented company and published in the trade fair catalog, VisitorGuide and on www.interlift.de.

Additional entries in the product group directory


In addition to the 5 exhibits included in the media compulsory entry further entries can be made at \in 50,- each per product group.

Our ex	xhibits				Addi	Additional entries						
01	02	03	04	05	06	07	08	09	10			
11	12	13	14	15	16	17	18	19	20			
Code n	umbers fror	n the classif	ication of go	ods (Anne:	x "C)"							
Exhib	its not in	cluded in	the nom	enclatur	е							

Phone	Fax	E-Mail I	Internet						
Our e	xhibits				Addi	tional en	tries		
01	02	03	04	05	06	07	08	09	10
11	12	13	14	15	16	17	18	19	20
			-	goods (Anne nenclatur					














In-line stand:	EUR 341,00 per m ²	EUR 346,50 per m ²
Corner stand:	EUR 357,50 per m ²	EUR 363,00 per m ²

(Prices plus VAT)



Order Full Stand

AFAG Messen und Ausstellungen GmbH Project Management Interlift Phone +49 (0) 8 21 - 589 82 - 340 Fax +49 (0) 8 21 - 589 82 - 349 E-Mail info@interlift.de Internet www.interlift.de



Stre	eet														
Zip	Code														
Со	Intry											 	 	 	
Per	son res	ponsi	ble									 	 	 	
Pho	one											 	 	 	
Fax												 	 	 	
E-n	nail											 	 	 	
We	herev	vith	orde	r											
Ful	stan	d													
	asic-Sta	qm l													
	omfort-	qm l	In-line												
	our of														
□c	harcoal		🗆 blı	ie	□ re	d	[∃ gree	en						
	esired	colou	ur:												
□ C	ounter			O	•] Tabl	e disp	olay c	ase					
Pan	el lette	ring (Helve	tica se	mi-bc	old, bla	ack, 20) lette	rs per	apert	ure).				
	os and	graphi	ics on	reque	st.										
Log															





Elevators

10108 10109	Elevators general Elevators for disabled persons
10110	Elevators for freight transport
10111	Elevators for passenger transportation
10112	Elevators with gearless drive
10113	Elevators with hydraulic drive
10114	Elevators with inclined track
10115	Elevators with spindle drive
10116	Elevators with traction sheave drive
10117	Elevators with drum drive
10120	Elevators as simplified passenger elevators
10132	Elevators for private households
10133	Elevators under earthquake conditions
10134	Glass elevators
10135	Elevators for ships and yachts
10139	Elevators with push chain system
10140	Elevators for cars / trucks
10203	Kits for elevators
10510	Spare elevators
11011	Small goods elevators
11210	Machine room-less elevators
11214	Rental elevators
11303	Emergency call equipment
11309	Elevators for emergencies
11508	Pneumatic drive elevators
11510	Panorama elevators
12223	Lightweight elevators
12229	Rack and pinion drive elevators
12230	Linear drive elevators
12231	Elevators in wind turbines
12232	Inclined stair lifts
12233	Spare parts for elevators

Shafts

20101	Deflection rollers / pulleys
20104	Suspensions for car and counterweight
20105	Suspensions for suspension cables and lines
20106	Touchdown buffer - energy storing
20107	Touchdown buffer - energy-consuming
20101	(hydraulic)
20138	Elevator shaft smoke extraction
20130	Compensation means (chains, ropes, belts)
20146	Release device
20207	Fastening elements
20207	Ventilations
20608	Guide rails with accessories
20613	Spring-applied brakes for elevator systems
20704	Counterweight inserts
20712	Pit control stations
20907	Installation ducts
21001	Cables, conductors, wires
21017	Cable clamping methods
21109	Ladders
21304	Emergency rescue system
21306	Emergency release equipment for
	cable and hydraulics
21402	Oil collection containers

21818Guide rail clamps (fasteners)21824Shaft scaffolding21825Shaft equipment21833Shaft lighting21842Shelter protection, temporary22210Overspeed governors and accessoriesDrive units30125Drives for elevators, electric30128Elevator motors30141Drive systems linear, mechanical30215Brakes, magnets, linings30409Rotary encoders30509Electromagnetic clutches and brakes30615Suspension cables306167Belts as suspension means30703Gear units30709Gearless drives30711Geared motors30803Hydraulic facks30804Hydraulic drives and power packs30805Hydraulic drives and power packs30806Handwheels31018Coolers, cooling units31112Air-oil coolers31203motors31806Rope and accessories31807Ropes and accessories31814Screw pumps31826Rope end attachments31903Traction sheave drive31903Traction sheave drive31904Traction sheave drive31905Traction sheave drive31908Traction sheave drive31909Traction sheave drive31903Traction sheave drive31904Traction sheave drive31905Traction sheave drive31908Traction sheave drive<		
30125Drives for elevators, electric30128Elevator motors30141Drive systems linear, mechanical30215Brakes, magnets, linings30409Rotary encoders30509Electromagnets: double and single spreading magnets30512Electromagnetic clutches and brakes30615Suspension cables30617Belts as suspension means30703Gear units30709Gearless drives30711Geared motors30803Hydraulic jacks30804Hydraulic drives and power packs30805Hydraulic drives and power packs30806Handwheels31006Couplings31018Coolers, cooling units31112Air-oil coolers31203motors31502Planetary gear units31708Pipe rupture protection31806Rope brakes31807Ropes and accessories31814Screw pumps31826Rope end attachments31845Push chain drives31902Traction sheave drive31903Traction sheave drive32046Bottom oil motors32107Cylinders32205Clamping device32205Clamping device32205Clamping device32205Clamping device32206Automatic sliding landing doors40126Automatic sliding landing doors40126Automatic door opener40214Fire doors41829<	21824 21825 21833 21842	Shaft scaffolding Shaft equipment Shaft lighting Shelter protection, temporary
30128Elevator motors30141Drive systems linear, mechanical30215Brakes, magnets, linings30409Rotary encoders30509Electromagnets: double and single spreading magnets30512Electromagnetic clutches and brakes30615Suspension cables30617Belts as suspension means30703Gear units30709Gearless drives30801Hydraulic jacks30802Hydraulic drives and power packs30803Hydraulic drives and power packs30804Hydraulic drives and power packs30805Hydraulic drives and power packs30806Handwheels31006Couplings31018Coolers, cooling units31112Air-oil coolers31203motors31502Planetary gear units31708Pipe rupture protection31806Rope brakes31807Ropes and accessories31814Screw pumps31826Rope end attachments31845Push chain drives31902Traction sheave cover32006Bottom oil motors32108Control valve blocks32201Cylinders32205Clamping device32206Automatic sliding landing doors40126Automatic sliding landing doors40126Automatic sliding landing doors40127Motion detectors40214Fire doors41829Revolving landing doors, all types41829 <th></th> <th>Drive units</th>		Drive units
Landing Doors40126Automatic sliding landing doors40129Automatic door opener40210Motion detectors40214Fire doors41507Portals41829Revolving landing doors, all types41906Lifting and sliding doors41907Door dampers, door closers	30128 30141 30215 30409 30509 30509 30512 30615 30617 30703 30709 30711 30803 30804 30805 30806 31006 31006 31018 31806 31807 31814 31806 31807 31814 31806 31807 31814 31826 31802 31908 31915 32006 32108 32201 32205	Elevator motors Drive systems linear, mechanical Brakes, magnets, linings Rotary encoders Electromagnets: double and single spreading magnets Electromagnetic clutches and brakes Suspension cables Belts as suspension means Gear units Gearless drives Geared motors Hydraulic jacks Hydraulic assemblies and accessories Hydraulic drives and power packs Handwheels Couplings Coolers, cooling units Air-oil coolers motors Planetary gear units Pipe rupture protection Rope brakes Ropes and accessories Screw pumps Rope end attachments Push chain drives Traction sheave drive Traction sheave cover Bottom oil motors Control valve blocks Cylinders Clamping device
 40126 Automatic sliding landing doors 40129 Automatic door opener 40211 Motion detectors 40214 Fire doors 41507 Portals 41829 Revolving landing doors, all types 41906 Lifting and sliding doors 41907 Door dampers, door closers 		<u> </u>
	40129 40211 40214 41507 41829 41906 41907	Automatic sliding landing doors Automatic door opener Motion detectors Fire doors Portals Revolving landing doors, all types Lifting and sliding doors Door dampers, door closers

- 41909 Door panels 41914 Door locks
- 41915 Shaft door drives
- 41916 Glass landing doors





41917	Shaft sliding doors in lightweight construction	80303	Computer controls
	(carbon,)	80306	Computers for voice of
41918	Sliding landing doors with sensors	80307	CANopen products / r
	for monitoring	80502 80511	Electronic component Explosion-proof electr
	Elevator car frame		switchgear
50210	Brake catcher	80604	Trip counters
50507	Inserts for sliding guides	80606 80809	Remote control system Suspended cables
50602 50605	Central car frame / backpack	81005	Copying stations / Sha
50605	Locking safety catches Sliding guides / roller guides	81205	Magnetic switch
50610	Safety system against unintentional movement	81290	Emergency lighting, a
	of the car UCM	81302 81511	Emergency power sup PVC insulators + shea
50620	Load-dependent electronic braking system	81703	Relays
51819	Rail oiler	81705	Control systems / cont
	Elevator car	81709	Return control systems
60208	Lighting	81803 81804	Switches Switch cabinets
60212	Sheet metal	81810	Safety circuits
60701	Railings for car ceilings	81812	Control systems
60801 61002	Handrails Cabs / cabins	81813	Power supply systems
61002	Cabs / Cabins Car equipment	81828 82107	Shaft cabling
61014	Folding seats	82204	Resistors Destination call system
61103	Light ceilings	82208	Power supply
61104	Light grids / curtains	82209	Energy efficiency syst
61105 61106	Light barriers Load measuring device / Load weighing	82218	Printed circuit boards
01100	devices	82228	Elevator gateway
61107	Car ventilation / Systems for the cleaning		
01101			Control device
	of the car air	90219	Brake resistors
61301 61823		90614	Brake resistors Frequency converters
61301 61823 61846	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars		Brake resistors Frequency converters
61301 61823 61846 62104	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams	90614	Brake resistors Frequency converters Soft running devices f
61301 61823 61846 62104 62112	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops	90614 91827	Brake resistors Frequency converters Soft running devices for Operating and displa
61301 61823 61846 62104	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams	90614	Brake resistors Frequency converters Soft running devices f
61301 61823 61846 62104 62112 62212	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles	90614 91827 100103 100205 100216	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nice
61301 61823 61846 62104 62112 62212 62300	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks	90614 91827 100103 100205 100216 100407	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays
61301 61823 61846 62104 62112 62212 62300 62400	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors	90614 91827 100103 100205 100216 100407 100408	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de
61301 61823 61846 62104 62112 62212 62300 62400 70612	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators	90614 91827 100103 100205 100216 100407	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de
61301 61823 61846 62104 62112 62212 62300 62400	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display
61301 61823 61846 62104 62112 62212 62300 62400 70612	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display Direction arrows
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610 100710	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display Direction arrows
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,)	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610 100710 100714 100904 100905	Brake resistors Frequency converters Soft running devices f Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610 100710 100714 100904 100905 101101	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nice Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610 100710 100714 100904 100905 101101 101102	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output de Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants LED lamps
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000 74000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring Steering units	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100610 100710 100714 100904 100905 101101	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nice Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000 74000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring Steering units Alarm systems	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100508 100610 100714 100904 100905 101101 101102 101104 101107 101110	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants LED lamps LED area light Light scanners / illumin LCD Screen
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000 74000 74000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring Steering units Alarm systems Elevator cables	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100508 100610 100714 100904 100905 101101 101102 101104 101107 101110 101509	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants LED lamps LED area light Light scanners / illumin LCD Screen Dot matrix displays and
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000 74000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring Steering units Alarm systems Elevator cables Elevator control cards	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100508 100610 100714 100904 100905 101101 101102 101104 101107 101110	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nice Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants LED lamps LED area light Light scanners / illumin LCD Screen Dot matrix displays an Car tableau, accessib
61301 61823 61846 62104 62112 62212 62300 62400 70612 71912 72000 73000 74000 74000	of the car air Catch-up / readjustment devices Safety light grid Protective inner lining for cars Locking solenoids, unlocking cams Amplifiers for induction loops LED profiles Cages in lightweight construction (carbon,) Cages with sleeper gap locks Elevator car doors Automatic car doors 71905 Door operators Door operator control Lifting and folding doors Door panels Car door latches Glass car doors Car doors in lightweight construction (carbon,) Car doors with sensor technology for monitoring Steering units Alarm systems Elevator cables	90614 91827 100103 100205 100216 100407 100408 100504 100505 100508 100508 100610 100714 100904 100905 101101 101102 101104 101107 101110 101509	Brake resistors Frequency converters Soft running devices for Operating and displa Display elements Operating elements Control panels and nic Digital displays Digital voice output dev Electronic display dev Electronic chime Floors / floor display Direction arrows Intercom unit GSM unit Car level indicators Information and light p Lamps, illuminants LED lamps LED area light Light scanners / illumin LCD Screen Dot matrix displays and

80303 80306 80307 80502 80511 80604 80809 81005 81205 81205 81205 81205 81205 81205 81302 81511 81703 81705 81709 81803 81705 81709 81803 81804 81810 81812 81813 81828 82107 82204 82208 82209 82218 82228	Computer controls Computers for voice output CANopen products / manufacturers Electronic components Explosion-proof electrical components and switchgear Trip counters Remote control systems Suspended cables Copying stations / Shaft information Magnetic switch Emergency lighting, accessories Emergency power supply PVC insulators + sheathed cables Relays Control systems / control engineering Return control systems Switches Switch cabinets Safety circuits Control systems Power supply systems Shaft cabling Resistors Destination call systems Power supply Energy efficiency system Printed circuit boards for control systems Elevator gateway
	Control device
90219 90614 91827	Brake resistors Frequency converters Soft running devices for hydraulic elevators
	Operating and display elements
100103 100205 100216 100407 100408 100504 100505 100508 100610	Display elements Operating elements Control panels and niche panels Digital displays Digital voice output devices Electronic display devices Electronic chime Floors / floor display Direction arrows





Driving cortableau Telephone systems Pushbuttons Control panels TFT displays TFT touch screen Monitoring devices Access controls and key codes
Equipment
Automatic lubricator Diagnostic equipment Equipment for after-sales service and Workshop trolley Remote maintenance / remote diagnostics Belts, round slings lifting equipment Measuring equipment Assembly scaffolds Oils / greases Oil lubrication system Personal protection equipment Test equipment for elevators Stair-climbing device Motorized stair-climbing device
Workshop equipment Online tools
Service
Education and training Computer programs General services Technical literature, standards Specialized personnel for elevator construction/
Computer programs General services Technical literature, standards Specialized personnel for elevator construction/ assembly Expert opinion Maintenance / Repair Engineering office Internet portal Commissioning of escalators Installation of elevators
Computer programs General services Technical literature, standards Specialized personnel for elevator construction/ assembly Expert opinion Maintenance / Repair Engineering office Internet portal Commissioning of escalators

122216 Elevator management system

122218 Release of persons

122217 Demand-based maintenance systems

		monitoring and accounting
		Accessories
	132224	Decorative metal surfaces Stainless steel (design and pattern rolled) Ball bearings Machine parts made of engineering plastics Pulleys Rollers for elevators Sound insulation / vibrating metal Safety devices, accessories Safety contacts Protective covers / finger guards / hoods Sensors for elevators / escalators Sleepers Safety brakes Environmental technology ventilators Warning and instruction signs accessories
		Miscellaneous

140119	Car parking systems

- 140705 Glass in elevator construction
- 143137 Automatic crosswalks

Escalators

152227	Spare parts for escalators Lifting platforms
151010 151207	Components for moving walks and escalators Assembly of escalators
150807	Handrail wheels
150618	Escalator steps repair, maintenance
150617	Escalator steps
150603	Moving walks / escalators

160810	Lifting platforms
160812	Hydraulic lifting platform
161513	Platform elevators 161847 Scissor lifts
162213	Wheelchair lifts





1. place - duration - opening hours:

interlift 2023 is scheduled for **Tuesday**, **October 17 until Friday**, **October 20**, **2023** at the Augsburg Exhibition Center.

It is open daily from 9:00 a.m. till 6:00 p.m., admission for visitors until 1 hour before the trade fair closes.

Opening hours for exhibitors 8.30 a.m. till 7:00 p.m.

2. advertising space:

For advertising space within the fairgrounds, the fair management will be happy to provide you with a quote. A draft must be submitted.

3. payment dates:

Die erste Hälfte des Rechnungsbetrages ist fällig 30 Tage nach The first half of the invoice amount is due 30 days after the invoice date. The second half is due by August 23, 2023. Invoices issued after August 23, 2023 are due for immediate payment. The place of performance and jurisdiction - also for dunning proceedings - is Nuremberg.

4. trade association fee:

In order to safeguard the interests and concerns of the industries exhibiting at trade fairs and exhibitions and of the organizers, as well as to ensure the quality of Germany as a trade fair location, a trade association fee is levied on exhibitors to support the work of the trade associations of the German trade fair industry. The trade association fee is levied by and on behalf of AUMA - Ausstellungs- und Messeausschuss der Deutschen Wirtschaft e. V., charged by the organizer and paid directly to AUMA.

5. b	uild-up:		
Start	of set-up:	Thu., Oct. 12, 2023, 7 a.m.	
Work	on finished stand until:	Mon., Oct. 16, 2023, 8 p.m.	
(You	(You can find out the final dates in our Online Service Center		

An earlier setting-up date is only possible upon written agreement. Within the scope of traffic regulation, temporary permits will be issued for a deposit fee. Columns, wall projections and technical equipment are part of the stand area and will be charged for.

Stands whose construction has not been started by 1 p.m. on the day before the start of the exhibition will be arranged at the exhibitor's expense, unless otherwise disposed of. Claims for reimbursement cannot be asserted by the lessee.

High-quality exhibition wall systems and floor coverings can be ordered at a charge via the Online Service Center. The hall floor, hall construction, columns and fixed installations may not be painted or papered. The installation and fire protection equipment must be accessible at all times. All material used must be flame retardant. Exceeding the construction height of 250 cm must be reported to and approved in advance by the exhibition management, irrespective of official requirements. The stand limits may not be exceeded in any way. Each hall stand must be fully laid out with a floor covering that is uniform in itself. If no prefabricated or system stand with panel is available, the installation of a panel is recommended. We reserve the right to impose conditions regarding stand design and the type and content of advertising messages. Acoustic and visual advertising media are subject to application and approval in all cases. All regulations under trade law - in particular those relating to price labelling - must be observed.

6. dismantling:

Start of dismantling:Fri., Oct. 20, 2023, 6 p.m.End of dismantling:Sun., Oct. 22, 2023, 8 p.m.(You can find out the final dates in our Online Service Center.)Dismantling is possible around the clock!

Stands that have not been dismantled or exhibits that have not been removed will be removed after the date set for the completion of dismantling at the expense and risk of the exhibitor and stored at a charge.

The stand areas and the rental material of the contracting companies are to be returned in proper condition.

Damage to the building fabric, technical equipment and the grounds must be reported to the trade fair management without delay. The exhibitor is liable for this.

7. passes:

Each exhibitor will receive 2 exhibitor passes free of charge for the required stand and operating personnel up to 10 m2 in accordance with the size of his stand and, if necessary, one further pass free of charge for each additional full 10 m2 of stand space in the hall and for each 50 m2 of stand space in the outdoor area, but not more than 10 passes.

Entitlement to free exhibitor passes is subject to the exhibitor's fulfilment of payment obligations. If there is a proven need, additional passes can be issued for a fee up to half the number of passes to be claimed free of charge. In case of misuse, the pass will be withdrawn without compensation. The issuance of work passes is reserved for the period of assembly and disassembly.

8. Verpflichtender Medieneintrag:

8.1 obligatory media entry

The obligatory media entry of \oplus 330.00 will be charged with the stand invoice. For components see form B.

The entry will be made (depending on the execution) alternatively or cumulatively in:

- the official trade fair publication (e.g. Visitor Guide, etc.)
- · the online catalog on the Internet
- · the electronic visitor information system





8.2 Trade fair publications

If an official trade fair catalog or other publication is issued for the trade fair or an exhibitor database is placed on the Internet, the following regulations shall apply:

- Entries will be made in accordance with the information provided by the exhibitor in the registration documents. The exhibitor is solely responsible for their correctness. AFAG accepts no responsibility for this.
- AFAG expressly points out that, with the exception of the publisher named by AFAG, no third parties, including other publishers, have been or will be commissioned with the preparation of trade fair publications and exhibitor directories - in particular those after the trade fair has been held. Insofar as offers in this regard are made to exhibitors, these are the own initiatives of third parties who have no relationship whatsoever with AFAG.

The organizer will provide the relevant media partners with the exhibitors' contact details for the purpose of offering trade fair-specific publications. (Trade fair special pages/collectives text and image)

9. online service center:

You can book/order all services and options for your stand equipment via our Online Service Center. You will receive the access data for this from January 2023. The technical guidelines, construction regulations and house rules listed there are an integral part of the contract.

10. flat-rate disposal, hygiene & safety fee:

The disposal, hygiene & safety flat rate is shown separately in the stand invoice. This flat rate covers additional preventive hygiene and safety measures that exceed the general event safety obligation, as well as the disposal of waste in the manner prescribed by law.

The additional preventive hygiene & safety measures are intended to avert potential external hazards for visitors and exhibitors. Irrespective of the flat-rate fee, the exhibitor is also obliged to avoid waste and to separate waste according to recyclable materials (paper and cardboard, glass, plastics, metals, wood, textiles, biowaste) in accordance with the applicable statutory regulations (e.g. the German Trade Waste Ordinance). The disposal of hazardous waste and pollutants, as well as the disposal of unusually large quantities of waste, will be charged in addition to the fee.

11. sale:

The distribution of samples, food and beverages, for consumption on site, must be approved by the Fair Management and must cease irrevocably at 6 p.m.

12. raffles:

Raffles, contests, quizzes, sweepstakes, the giving of promotional gifts, and the like may not be conducted in exchange for a fee or for donations

13. insurance:

The exhibition management is not liable for damage and loss to stand structures and display goods. The conclusion of an insurance policy for the exhibition goods and liability can be arranged by the exhibition management at favorable conditions via a framework contract.

14. smoking ban:

We would like to point out that with regard to a smoking ban, the legal situation valid at the time of the trade fair must be observed and implemented! In the catering facilities within the halls and service areas, the Non-Smoker Protection Act applies.

Organizer:

AFAG Messen und Ausstellungen GmbH Am Messezentrum 5, 86159 Augsburg Phone +49 (0) 8 21 - 589 82 - 340 Fax +49 (0) 8 21 - 589 82 - 349 E-Mail info@interlift.de Internet www.interlift.de Register Court Nuremberg HRB 651

Managing Directors: Henning und Thilo Könicke

Exhibition Management:

AFAG Project Management Interlift 2023 Am Messezentrum 5, 86159 Augsburg Phone +49 (0) 8 21 - 589 82 - 340 Fax +49 (0) 8 21 - 589 82 - 349 E-Mail info@interlift.de Internet www.interlift.de



Mitglied im Fachverband Messen und Ausstellungen



Mitglied der Gesellschaft zur freiwilligen Kontrolle von Messe- und Ausstellungszahlen.



General trade fair and exhibition conditions of the FAMA Fachverband Messen und Ausstellungen e. V.

General

- **General** The following general trade fair and exhibition conditions from FAMA Fachverband Messen und Ausstellungen e. V. (hereinafter: "GTFEC") gov-ern the legal relationship between the organiser of a trade fair/exhibition and the respective exhibitor. With its application, the exhibitor acknowledges these GTFEC, the "special trade fair and exhibition conditions" (hereinafter: "STFEC") and any applicable "house rules", which are valid for the respec-tive trade fair/exhibition. The GTFEC may be supplemented or amended by the STFEC valid for the respective regulations, the following order of precedence shall apply: The individual contractual agreement takes precedence over the STFEC; the STFEC has priority over the GTFEC. Any agreements deviating from the GTFEC and/or the STFEC must be made in text form to be legally effective. Any general terms and conditions of business of the exhibitor which conflict with the GTFEC and/or the STFEC shall not become part of the contract, even if they have not been expressly contradicted. 11
- 1.2
- 1.3 contradicted.
- shall not become part of the contract, even if they have not been expressly contradicted. The organiser is entitled to demand payment for the provision of its services. The remuneration of the organiser includes all main and ancillary services provided by the organiser for the exhibitor for the execution of the event. The remuneration for the main services can be seen from the application and from the "special trade fair and exhibition conditions" and includes in particular the stand rent, planning and organisational services, the integration of the exhibitor into the advertising concept of the trade fair/exhibition, the mediation of event-related contracts with third parties, the provision of event-related services and stand construction services to be provided by the organiser. Additional costs for ancillary services provided at the request of the exhibitor, such as in particular the provision of supply systems required for the purchase of gas, water, electricity, internet or other telecommunications, additional stand construction services or the rental of furniture, are part of the organiser, nor are they part of the remuneration of the organiser, even if the organiser, nor are they part of the remuneration of the organiser. The trade association fee shall be calculated net per square metre provided and shown separately on the total invoice for remuneration. The trade association fee is not part of the remuneration of the organiser.

Registration

- 22
- **Registration** Registration for participation in the event is made using the legally signed registration form. In the case of registration by using an online form, the reg-istration is also valid without signature by sending it to the organiser. Any conditions and/or reservations made by the exhibitor in the course of registration, such as the exact position of the stand or exclusivity in a product group, are inadmissible and irrelevant for the conclusion of the contract. They shall only become legally effective if they are individually confirmed in writing by the organiser before or at the time of conclusion of the contract. The registration constitutes an offer by the exhibitor, to which the exhibitor is bound until 8 days after the registration deadline announced in the STFEC, at the latest until 6 weeks before the opening of the trade fair/exhibition, unless admission has been granted in the meantime. The exhibitor shall be bound for 14 days by applications received after the closing date for applica-tions or 6 weeks before the opening of the trade fair/exhibition. 2.3

- 32
- bound for 14 days by applications received after the closing date for applica-tions or 6 weeks before the opening of the trade fair/exhibition. **Admission/conclusion of contract** Upon receipt of the confirmation of admission or the invoice by the exhibitor, by letter, fax or electronic transmission (e.g. by e-mail), the contract between the organiser and the exhibitor is concluded (hereinafter: "contract of partic-ipation"). The organiser shall decide on the admission of the exhibitors and the individual exhibits, if necessary, with the assistance of a trade fair/exhi-bition advisory board or the trade fair/exhibition committee. The organiser may exclude individual exhibitors from participation for objec-tively justified reasons, in particular if the available space is insufficient. If it is necessary to achieve the purpose of the event, it may restrict the event to certain groups of exhibitors, suppliers and visitors. Exclusion of competitors may neither be demanded nor promised. Ordinary termination of the participation contract is excluded, whereby the organiser is entitled to provide extraordinary termination of the participation contract without notice for good cause if the conditions for the exhibitor's admission subsequently cease to apply or are no longer fulfilled, and if the exhibitor is in persistent default of payment despite two reminders. An impor-tant reason is also given if the organiser determination for which the exhibitor is for son subsequently cease to apply or are no longer fulfilled, and if the exhibitor is in persistent default of payment despite two reminders. An impor-tant reason is also given if the organiser determination for which the exhibitor is for son set of an extraordinary termination for which the exhibitor is for son the event of an extraordinary termination for which the exhibitor is for son is entitled to demand an amount equivalent to 50% of the remuneration as defined in item 1.4. as lump-sum compensation. At the request of the exhibitor,
- 3.5

Release from the contract

- 4.1
- Release from the contract If, in exceptional cases, the organiser grants a release from the contract after binding registration or admission, the exhibitor shall pay 25% of the organ-iser's remuneration (in accordance with item 1.4.) as compensation. In the specific case, the exhibitor is expressly granted the right to prove that the organiser has suffered no or lower damages. Item 4.1. does not exclude the assertion of a higher damage actually incurred by the organiser. In this respect, the organiser has the right to choose whether to claim the flat rate according to item 4.1. or the actual damage incurred. The application for release from the contract can only be made in writing. It is only legally effective if the organiser also provides its consent in writing. The organiser can make the dismissal from the contract subject to the con-dition that the allocated stand space can be used for other purposes. The reallocation of the stand space to another exhibitor then corresponds to a release from the contract. 4.3

Force maieure

fama

- Force majeure If, after conclusion of the contract, it becomes impossible for the exhibitor to participate in the trade fair/exhibition due to circumstances for which neither the organiser nor the exhibitor is responsible and which the exhibitor could neither foresee nor avert, the exhibitor shall be entitled to dismissal from the contract, whereby the provision of item 4.1. of these GTFEC shall apply accordingly. The organiser is entitled to cancel the trade fair/exhibition for good cause, to postpone the trade fair/exhibition in time and/or space, or to shorten the trade fair/exhibition. An important reason is given in particular if the execution of the trade fair/exhibition becomes objectively impossible at the originally set time due to an external unforeseeable event of force majeure that cannot be averted even with the utmost care (force majeure event). An event of force majeure shall be deemed equivalent to cases in which it becomes objectively impossible to hold the trade fair/exhibition at the originally stipu-lated time due to an official order, decree or measure for which neither the organiser nor the exhibitor is responsible, or which is not under state or fed-eral law. In the event that the trade fair/exhibition is shortened for good cause in 5.2
- In the event that the trade fair/exhibition is shortened for good cause in accordance with item 5.2., the exhibitor shall only be entitled to a pro-rata refund of the remuneration in accordance with item 1.4. if the shortening results in the loss of more than 35% of the original duration of the trade 53 fair/exhibition.
- In the event of cancellation of the trade fair/exhibition for good cause in accordance with item 5.2., the organiser and the exhibitor shall be released from their contractual obligations. The contract shall be rescinded, and the 5.4 accordance with item 5.2., the organiser and the exhibitor shall be released from their contractual obligations. The contract shall be rescinded, and the organiser shall be entitled to demand from the exhibitor compensation for a reasonable share of the costs incurred in preparing the event and compen-sation for services already rendered. The amount to be paid by the exhibitor in this respect shall be calculated on the basis of the costs already incurred by the organiser up to the time of cancellation of the event, which shall then be divided in the ratio of the stand space individually rented by the exhibitor to the total net exhibition space. The amount thus determined may not exceed 25% of the remuneration as defined in item 1.4. In the event that the trade fair/exhibition is postponed in terms of location and/or time for good cause in accordance with item 5.2., the contractual rela-tionship shall continue to exist and the exhibitor shall remain bound by it. The contract is deemed to have been concluded for the relocated trade fair/exhi-bition. If the exhibitor provides evidence that it is objectively impossible for it to participate on the alternative date and/or place, the exhibitor shall be enti-tled to be released from the contract, whereby the provision of item 4.1. of these GTFEC shall apply accordingly. In the cases of items 5.3, 5.4. and 5.5, the assertion of other claims for damages is excluded for both contracting parties, unless these are based on gross negligence or intent on the part of the contracting party claimed or its vicarious agents. If, as a consequence of one of the events described in item 5.2, the execu-tion of the trade fair/exhibitor is subsequently made subject to compliance
- 5.6
- Vicarious agents. If, as a consequence of one of the events described in item 5.2., the execu-tion of the trade fair/exhibition is subsequently made subject to compliance with public law requirements, the restrictions associated with the implemen-tation of these requirements do not entitle the exhibitor to reduce the remu-neration of the organiser or to withdraw from the contract. 5.7

Stand allocation 6

- 6.2 6.3
- 6.5

- 6.7
- 6.8
- areation of the organiser or to withdraw from the contract. **Stand allocation** The stand allocation is made by the organiser according to aspects given by the concept and the trade fair and exhibition theme, whereby the date of receipt of the application is not decisive. The stand allocation will be commu-nicated to the exhibitor will be taken into account as far as possible when allocating the stand; however, there is no legal obligation to do so. The organiser is entitled to change the registered area for conceptual rea-sons. In particular, the area may be changed in order to achieve the specified minimum dimensions of the stand and must otherwise take the interests of the exhibitor adequately into account. The exhibitor must expect that for technical reasons a minor restriction of the allocated stand space will be necessary. This restriction may not exceed 3% of the stand space and does not entitle the exhibitor to a reduction of the and exits, the emergency exits and the passageways. A relocation of the stand area after the stand allocation has been carried out and completed may only take place for compelling reasons. The organiser replacement. In this case, the exhibitor to object to the newly allo-cated stand area within 8 days of receipt of the notification of the relocation of the stand space with explace for compelling reasons. The organiser mystallocate a stand area of equal value to the exhibitor concerned as a replacement. In this case, the exhibitor is entitled to object to the newly allo-cated stand area within 8 days of receipt of the notification of the relocation of a stand area of the stand allocation, e.g. with regard to the be refunded to the exhibitor shall be entitled to withdraw from the contract. In this case, the remuneration already paid in accordance with item 1.4. must be refunded to the exhibitor, whereby the right to assert claims for damoes is otherwise excluded. The withdrawal must be made in text form. All other subsequent changes to the stand all 6.9





Transfer of the stand to third parties, sale for third parties, 7. co-exhibitors

- 7.1
- **co-exhibitors** The exhibitor shall not be entitled to transfer the stand space allocated to it to third parties, either in whole or in part, free of charge or in return for payment, or to exchange it with another exhibitor without the prior express consent of the organiser in text form. The inclusion of a co-exhibitor is only permitted if it has been registered by the exhibitor before the event and approved by the organiser in text form. The main exhibitor and the co-exhibitors of a stand must name a joint representative in the application. Notifications and declarations made by the organiser to the named representative are deemed to have been made and received by all co-exhibitors. In the event of the admission of co-exhibitors, all co-exhibitors are jointly and severally liable for the remuneration of the organiser. 7.2
- all co-exhibitors are jointy and several, including any several, including organiser. The representation of additionally represented companies, which have eco-nomic goods presented on the stand of an exhibitor without their own per-sonnel, is only permitted if this has been registered by the exhibitor prior to the event and approved by the organiser in text form. Additionally repre-sented companies must be marked as such in the list of exhibitors.

Payment terms

- Of the remuneration to be paid by the exhibitor to the organiser, 50% shall be paid within 30 days of the invoice date, the remainder up to 6 weeks before the opening, unless otherwise agreed in writing or stipulated in the "special trade fair and exhibition conditions".
- voices issued later than 6 weeks before opening are payable in full imm 8.3
- After the due date, the organiser is entitled to charge interest on arrears. This is based on the legal provisions of § 288 BGB. The organiser reserves the right to prove higher damages caused by delay. The organiser can dispose otherwise of unpaid or incompletely paid stands within the meaning of item 6.9. after unsuccessful reminder with appropriate notice. In this case, it may refuse to hand over the stand and issue the exhibitor passes. exhibitor passes.
- Exhibitor passes. For all unfilled obligations and the resulting costs, the organiser is entitled to a lien on the trade fair/exhibition objects brought in. The organiser is not liable for any damage or loss of the pledged objects through no fault of its own and may sell them on the open market after giving written notice. It is assumed that all objects brought in by the exhibitor are the unrestricted prop-orth of the oxhibitor 8.5 erty of the exhibitor

Design and equipment of the stands

- 91 9.2
- 9.3
- Design and equipment of the stands The name and address of the stand owner must be displayed on the stand in a way that is recognisable to everyone for the entire duration of the event. The exhibitor is responsible for equipping the stands within the framework of the uniform construction provided by the organiser, if applicable. If the exhibitor is using its own stand, it may be required to submit dimension-ally accurate designs to the organiser for approval before work begins. The use of prefabricated or system stands must be expressly noted in the appli-cation. The companies commissioned with the design or construction shall be notified to the organiser. Exceeding the stand limits is not permitted in any case. Exceeding the pre-scribed construction height requires the express permission of the organiser. The organiser can demand that trade fair/exhibition stands whose construc-tion has not been approved or which do not comply with the exhibition con-ditions be changed or removed. If the exhibitor does not comply with the expense of the exhibitor. If the stand must be closed for the same reason, there is no entiltement to reimbursement of the fee. . Advertising 9.5

- Advertising
 Advertising of any kind, in particular the distribution of advertising material and printed matter and the addressing of visitors, is only permitted within the exhibitor's own stand.
 The operation of loudspeaker systems, music/photo presentations and AV media of any kind also for advertising purposes by the exhibitor requires the express permission of the organiser and must be registered in good time in advance n advance.
- 10.3 In the interest of maintaining orderly trade fair/exhibition operations, the demonstration of machines, acoustic equipment, photographic equipment and fashions, also for advertising purposes, may be restricted or revoked even after permission has already been granted.

11. Installation

- Installation
 Installation
 The exhibitor shall be obliged to complete the stand within the periods specified in the "special trade fair and exhibition conditions". If construction of the stand has not begun by 12 noon on the day before the opening, the organiser may dispose of the stand otherwise in accordance with item 6.9. Claims for damages by the exhibitor are excluded in any case.
 Complaints about the location, type or size of the stand made by the exhibitor during construction must be notified to the organiser immediately in text form.
- text form. 11.3 All materials used for construction must be flame resistant.

12. Operation of the stand

- The exhibitor is obliged to occupy the stand with the registered exhibits for the entire duration of the trade fair/exhibition and to keep it manned with 121
- competent personnel. 12.2 Cleaning of the stands is the responsibility of the exhibitor and must be car-ried out daily after the end of the trade fair/exhibition. The organiser is responsible for cleaning the rest of the site, the other parts of the hall and the aisles
- 12.3 It is the exhibitor's responsibility to operate its stand in a sustainable manner and to avoid rubbish and waste. The guidelines for the disposal concept of the organiser and for the handling of garbage and waste result from the STFEC.
- STFEC.
 12.4 All exhibitors are obliged to show consideration for each other, for the organ-iser and for the visitors during the course of the trade fair/exhibition, as well as during assembly and dismantling. The organiser is entitled to set up pre-cise regulations in the STFEC and/or the "house rules" to ensure mutual con-sideration and to take appropriate measures, up to and including extraordi-nary termination of the participation contract, if an exhibitor persistently vio-lates the requirement of consideration after prior warning.

- 13. Dismantling
 13.1 No stand may be completely or partially vacated before the end of the trade fair/exhibition. Exhibitors who violate this rule forfeit a contractual penalty to the organiser in the amount of half the net remuneration. Further claims for damages remain unaffected.
 13.2 The trade fair/exhibition objects may not be removed after the trade fair/exhibition objects are nevertheless removed, this shall be deemed a breach of the lien.
- the lien.

- 13.3 The exhibitor shall be liable for damage to the floor, walls and the material provided. The trade fair/exhibition space must be returned in the condition in which it was taken over, at the latest by the date set for completion of dismantling. Any material, foundations, excavations and damage must be properly removed. Otherwise, the organiser is entitled to have this work carried out at the expense of the exhibitor.
 13.4 Stands not dismantled after the date set for dismantling or exhibition objects not removed will be removed by the organiser at the expense of the exhibitor and stored with the exhibition forwarding agent, excluding liability for loss and damage.
- and damage.

- and damage. **14. Connections 14.1** The general lighting of the event area as a whole shall be provided by the organiser. **14.2** If the exhibitor wishes to have supply connections for electricity, water, compressed air or gas, these must be announced at the time of registration. Installation of the connections and actual consumption shall be at the expense of the exhibitor. In the case of ring lines, the costs will be shared proportionately among the participating exhibitors. **14.3** All installations, in particular all installations of connections, may only be carried out by companies approved by the organiser. Unless otherwise provided for in the STFEC, these companies receive all orders through the mediation of the organiser and perform their services directly for and on account of the exhibitor. **14.4** Connections and equipment which do not comply with the relevant regulations, do not have the necessary tests and/or certificates or whose consumption is significantly higher than reported, can be removed or put out of operation by the organiser. The organiser shall not be liable for insthe avent been registered and/or have not been made by companies approved by the organises. **14.5** The exhibitor shall be liable for all damage caused by the use of connections that have not been registered and/or have not been made by companies approved by the organiser. The organiser shall not be liable for interruptions or fluctuations in performance of the electricity, water/wastewater, gas and compressed air supply.

- 15. Security
 15.1 The general surveillance of the site and the halls in the form of access and entry controls is the responsibility of the organiser, without liability for loss or damage to stand construction material and/or exhibits.
 15.2 The exhibitor itself is responsible for the supervision and guarding of the stand. This also applies during the construction and dismantling periods. Special guards, e.g. at night-time, are permitted with the approval of the organiser. 15.2

- 16. Liability
 16.1 The organiser and its employees and vicarious agents are not liable for damage resulting from slightly negligent breaches of duty.
 16.2 This does not apply to damage resulting in loss of life, physical injury or health impairment or voidance of guarantees as well as claims under the Product Liability Act.
 16.3 Furthermore, liability for the breach of obligations, the fulfilment of which is essential for the proper execution of the contract and on the observance of which the exhibitor may regularly rely (cardinal obligation), remains unaffected.
- Which the exhibition may regular, i.e., the organiser is liable in accordance fected. In the cases of items 16.2, and 16.3, the organiser is liable in accordance within the statutory provisions. In the event of a breach of a cardinal obligation within the meaning of item 16.3, the liability of the organiser is limited to fore-seeable, typical damage, excluding liability for consequential damage. Exhibitors are strongly advised to insure their trade fair/exhibition objects and their liability at their own expense.

- and their liability at their own expense.
 17. Image rights and other industrial property rights
 17.1 Commercial photography, drawing and filming within the trade fair/exhibition site is only permitted to companies and persons authorised by the organiser.
 17.2 Any photo coverage of the trade fair/exhibition in the press, radio and digital media requires prior accreditation by the organiser.
 17.3 The organiser is entitled to produce photographs, drawings and film recordings for the purposes of self-promotion during the event. The publication of illustrations of individual exhibits requires the prior consent of the exhibitor.
 17.4 All advertising and press materials (logos, photographs, plans, etc.) provided by the organiser may only be used for the purpose of the exhibitor's own advertising with its participation in the trade fair/exhibition of for the purpose of reporting in the press, radio and digital media.
 17.5 It is prohibited to show exhibits which violate the copyrights, trademark, design, patent or other industrial property rights applicable at the location of the trade fair/exhibition. In the event of a proven violation of the above provision, the organiser is entitled to terminate the contractual relationship in accordance with item 3.3 for good cause.
 17.6 If the organiser is directly held liable by the organiser against the costs of its legal defence in this regard.
 18. Domiciliary rights

- 18. Domiciliary rights
 18.1 During the event, the organiser exercises the sole domiciliary rights on the trade fair/exhibition site and may issue house rules.
 18.2 Exhibitors and their employees may only enter the grounds and halls at the times specified in the STFEC on a daily basis and must have left the halls and grounds at the latest at the corresponding times.
 18.3 An extension and/or shortening of the times according to item 18.2. is possible in individual cases with the prior consent of the organiser. It is prohibited to spend the night on the grounds.


9. Limitation period

- 19. Limitation period
 19.1 Exhibitors' claims against the organiser are subject to a limitation period of one year, beginning at the end of the month in which the last day of the trade fair/exhibition falls.
 19.2 All claims of the exhibitors against the organiser must be asserted in text form within a preclusive period of six months, beginning at the end of the month in which the last day of the trade fair/exhibition falls.
 19.3 The provisions of the above two paragraphs shall not apply if the organiser, its employees or vicarious agents are guilty of intentional or grossly negligent conduct or the liability of the organiser is based on the statutory provisions in accordance with item 16.4.

- 20. Place of performance and place of jurisdiction
 20.1 Place of performance and jurisdiction is the domicile of the organiser, even if claims are asserted in legal dunning proceedings, unless otherwise stipulated in the STFEC.
 20.2 The organiser shall also have the right to assert its claims in court at the exhibitor's registered office or at the place where the trade fair/exhibition is held.

Geländeplan Messezentrum Augsburg Site Plan of Fair Grounds Augsburg







THE HOME OF ELEVATORS