



interlift
14 to 17 October 2025
Messe Nürnberg

June 2025

Press Release

interlift 2025 innovation hub: Trade fair innovations and high-calibre specialist presentations

The lift technology industry is meeting in Nuremberg for the first time this year: The interlift will take place at the Messe Nürnberg from 14 to 17 October. Preparations for the trade fair are already in full swing among the 500 or so exhibitors, so visitors can look forward to numerous innovations and product developments. The VFA Forum focusses on current industry topics.

Nuremberg – As the world's leading trade fair for the lift industry, interlift is always a hub for innovations and new products. Some exhibitors are already giving a preview of their latest developments, which will be presented exclusively at interlift:

interlift trade fair innovations:

- **NEW LIFT** stands out with the announcement of the FST-3 lift controller. The combination of proven technology and the new PESSRAL S2 safety functions as well as flexible installation options promise practical added value and provide a novelty in this form.
- **Doppler Lifts** is using its anniversary to present two specific innovations for interlift 2025: a new cabin design line and an innovative home lift with integrated stairs.
- **MEMCO by AVIRE** announces the premiere of the DCP Evo digital communication platform and new products in the field of lift safety.
- **ZIEHL-ABEGG SE** presents and at the trade fair focusses on the new web-based design software ZAlift Web as a trade fair focus, a concrete software innovation, in addition to further developments in drive technology.

- **ILION** meets current demands for hygiene and modern operation with the retrofittable, touch-free AirTact sensor and a new gesture sensor. The add-on nature makes it interesting for modernisations.
- **Mainteny** positions its software as a solution for SMEs and emphasises XRechnung support and AI functions as new features, which points to a further development of the platform.

Furthermore, some exhibitors will be presenting specific product focusses or further developments at interlift:

- **HEVOS** presents the HE electronic valve (self-learning mode, app control), demonstrating a clear product focus with innovative features.
- **Prisma-NBSL** showcases PMOD and P300, two clearly defined door systems for different applications (modernisation vs. new build).
- **GÜVEN ÇELİK HALAT** presents G-FLEX, a new generation of balancer chains, which indicates a product innovation or at least a significant further development.
- **Standard Wesant** presents ELA, an evolving platform.

All trade fair and exhibitor news can be found online. The overview will be updated regularly: www.interlift.de/avz-news

Specialist lectures and know-how at the VFA Forum

The VFA Forum is the interlift communication platform and is organised by VFA-Interlift, the technical sponsor of interlift. During the four days of the trade fair, visitors to the forum can attend a wide range of free forum presentations. The forum programme will be online at www.interlift.de starting this summer and will give all trade visitors the opportunity to plan their visit to the trade fair in detail.

Visit Nuremberg - The lift industry meets in Nuremberg for the first time

Nuremberg is the second largest city in Bavaria and is a popular tourist destination with its historic centre. The modern exhibition centre Messe Nürnberg attracts many international trade fair visitors to Nuremberg every year. A wide selection of hotels and restaurants as well as good transport links - whether by car, train or plane - make Nuremberg a popular destination.

For detailed information on travelling and accommodation: <https://www.interlift.de/anreise-unterkunft/>

Further information: www.interlift.de

Press contact:

AFAG Messen und Ausstellungen GmbH

Corporate Communications

Phone: +49 - 911 / 98833-345

presse@interlift.de

Contact to the project team:

AFAG Messen und Ausstellungen GmbH

interlift project team

Phone: +49 - 911 / 98833-340

info@interlift.de